

TRADITIONAL


Vantage

Steel | Thickness: 2"
Polystyrene insulation


MODEL PATTERNS AND LAYOUTS

Shaker-Flat (19" x 15" and 40" x 15")










Classic (20" x 14" and 42" x 14")






CONTEMPORARY

Vantage

Steel | Thickness: 2"
Polystyrene insulation

MODEL PATTERNS AND LAYOUTS








CARRIAGE HOUSE


Vantage

MODEL PATTERNS AND LAYOUTS


















9' x 7'



16' x 7'





Shaker-CS Short





COLORS

Standard White Sandstone Sahara Almond Brown Terrastone



Faux Wood



Dark Walnut

Weathered Grey

CONSTRUCTION


Triple-layer: steel + insulation + steel

- 1 26-gauge pre-painted galvanized steel for high durability
- 2 2" tongue-and-groove meeting rail to provide a weathertight seal between sections, and rails are hemmed the entire length of the section for added strength and safety
- Polystyrene insulation pressure bonded between two layers of steel for energy efficiency
- 4 20-gauge white baked-on paint finish end stiles for a nice clean look
- 5 Full-length reinforcing plates to solidly attach hinges and struts



The Garaga Wind Load Option is only available for specific regions. Talk to your local garage door dealer for more information.

8' high door layouts construction




Door interior: regardless of the color chosen, the inside is always White

WINDOWS (20" x 13" or 41" x 16")¹



Decorative inserts²





² To know what size decorative inserts are available for each door design, visit garaga.com/designcentre.

Double Stockton Arch Long

SIZES

Standard widths from 8' to 22', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.

WARRANTY

Door: limited lifetime Bolted Hardware: 1 year

Weatherstripping: 1 year
Windows : 10 years against seal defects
1 year for thermal break





LiftMaster

POWERED BY MYQ.



- Ultra quiet
- Belt or chain drive
- ¾ HP, AC or DC power
- Integrated camera for some models



- Ultra quiet
- Jackshaft
- DC power





- Quiet
- Belt or chain drive
 - ½ HP, AC or DC power
 - Integrated camera for some models

CONTRACTOR **SERIES®**

Quiet and reliable garage door openers







- Quiet • Belt or chain drive
- ½ HP, AC or DC power



Consult garaga.com/res-openers or scan the QR code to view all available openers and accessories.



US Head Office 1 844 918-2828 Ponca City, OK

Canadian Head Office 1800 464-2724 St-Georges, QC

















info@garaga.com garaga.com

logo FSC

YOUR **DISTRIBUTOR**