


8300/8500

8300AG/8500AC



Effective Joint Seals -

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

Foamed-In-Place Polyurethane Insulation Thermally efficient with a U-factor*

of of .15 and an R-value** of 12.12 for Model 8300 and a U-factor*

of 0.12 and an R-value** of 16.22 for Model 8500.

Heavy Gauge Steel End Caps <

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.



Silent Glide Rollers

Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.

High Cycle Spring Option

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

Wind Load Options Available

with structural reinforcements for use in coastal or high wind regions.



Limited Lifetime Warranty




^{*}U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

^{**}Wayne Dalton uses a calculated door section R-value for our insulated doors.

Choose Your Windows

For Colonial and Contemporary Panels







Double Narrow^{†*}



Stockton III*



Waterton III*



4442 2222 Arched Stockton*††




Williamsburg Itt



Stockbridge*



Sherwood I



Narrow†*

For Ranch Panels



Clear II

Stockbridge II





Stockton IV (6-Lite)

Stockton II



 $\rightarrow \rightarrow \rightarrow \rightarrow$

Waterton II



Prairie II





Sherwood II**

***/**= =

Williamsburg II Single Arch^{††}

For Sonoma Ranch Panels (Models 8300/8300AG only)

Cascade IV

Sherwood IV



Ruston IV

Stockton IV (4-Lite)



Waterton IV





Stockbridge



Williamsburg IV††



Cathedral IV



Stockbridge IV (3-Lite)



Stockton IV (8-Lite)



Wyndbridge IV**



Arched Stockton IV**††



Stockbridge IV (4-Lite)



Stockton IV (8-Lite Arched) Stockton IV (12-Lite)



Clear IV





Williamsburg IV Double Cartt



 $\longleftrightarrow \longleftrightarrow$



Stockton I





Stockton III



Clear I



Arched Stockton††



Clear III



Waterton I

Waterton III

- *Contemporary Panel only.
- †Available for Wood Grain Impressions finishes only.
- **Available only on doors with an even number of panels.
- ††Choice of single or double arch is available for arched top double car windows.

Not all windows available in all areas. Windows shown are typical of an 8' wide door and placement may vary by panel design. Consult your dealer for details.

Choose Your Style



Colonial



Ranch



Sonoma



Sonoma Ranch (Models 8300/ 8300AG only)



Contemporary

Choose Your Color

Paint Finishes

Wood grain embossment



White



Almond



Taupe



Terra Bronze



Brown



Black



Available with the TruChoice® Color System, Wayne Dalton's custom painting process that offers more than 6,000 colors. See dealer for details.

Wood Grain Impressions™ Finishes*

Stucco embossment Available on Models 8300/8300AG Contemporary panel only



Cedar Plank



Medium Oak Plank



Beachwood Plank



Carbon Oak Plank

Achieve the stunning and authentic appearance of real wood with a digitally printed, non-repeating grain on a durable steel garage door. This innovative design allows you to enjoy the beauty of wood without compromising on the strength and longevity of steel.

Bi-Directional Wood-Grain Finishes

Wood grain embossment Available on Sonoma and Sonoma Ranch panel only



Golden Oak




Mission Oak



Walnut

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching before ordering your door.

^{*}Digital Print wood-grain finishes only available with Clear IV or Narrow windows and clear or obscure glass.





Garage Door Design Center

To see this door on your home, visit wayne-dalton.com, or download our Garage Door Design Center app. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.





Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.



DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com













Window Placement Options (Models 8300AG/8500AG)

Optional window placements available with Clear I, Clear II or Clear III windows only. Standard window placement (Models 8300/8500) on top or intermediate row only.

Vertical Option (left or right)




Colonial, Ranch, Sonoma Ranch and Contemporary panels only.

Double Row Option (top and intermediate)



Colonial, Ranch, Sonoma, Sonoma Ranch and Contemporary panels.

Vertical and Horizontal (left or right)



Colonial, Ranch, Sonoma Ranch and Contemporary panels.

All Window Option



Contemporary panel.

Glass Options



Cleart



Gray Tinted Tempered



Green Tinted Tempered



Bronze Tinted Tempered




Satin Etched Privacy[†]




Obscure[†]

†Insulated glass available.

Choose Your Decorative Hardware





Fleur-de-Lis

